

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	09/830,879	UEDA ET AL.
	Examiner	Art Unit
	Parviz Hassanzadeh	1763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to 9/16/03.
- The allowed claim(s) is/are 1, 4, 5, 7, 19 and 20.
- The drawings filed on 16 September 2003 and 02 May 2001 are accepted by the Examiner.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - All
  - Some\*
  - None
 of the:
  - Certified copies of the priority documents have been received.
  - Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
  - The translation of the foreign language provisional application has been received.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - hereto or 2)  to Paper No. \_\_\_\_\_.
  - including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

<input type="checkbox"/> Notice of References Cited (PTO-892)	<input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
<input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	<input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____.
<input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____.	<input checked="" type="checkbox"/> Examiner's Amendment/Comment
<input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	<input type="checkbox"/> Examiner's Statement of Reasons for Allowance
	<input type="checkbox"/> Other

Parviz Hassanzadeh  
Primary Examiner  
Art Unit: 1763

**DETAILED ACTION**

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gerhard W. Thielman on 11/19/03.

The application has been amended as follows:

**IN THE CLAIMS:**

In claim 20, line 1, change 8 to 19 as shown below:

20. (amended) A plasma processing apparatus according to claim 8 19, wherein the length of said electrode is a natural number times a half of the wavelength of the supplied frequency power.

**IN THE SPECIFICATION:**

On page 11, between lines 16 and 17, i.e. after brief description of Fig. 7, insert the following:

Fig. 8 is a view of the electrode length in relation to a sinusoidal waveform.

Fig. 9 is a view of the electrode half-length in relation to the sinusoidal waveform.

IN THE ABSTRACT:

Replace the abstract filed with the amended abstract as follows:

A plasma processing apparatus is of an internal electrode type, and an inductive coupling type electrode arranged facing a substrate 17 has a shape formed by bending back a conductor at its central portion. A high frequency power is supplied to an end of the electrode so that a standing wave of half wavelength are produced at straight portions formed by bending back the electrode to make an antinode there. and thus a plasma discharge is generated around the electrode. The controlled standing waves with its antinodes positively generated at the straight portions of the electrode are effectively used. ~~The frequency f of the high frequency power is determined by  $f = (c/\sqrt{\epsilon_p})/2L_1$ , where c is the speed of light, L1 is the length of the portion formed by bending back the electrode, and  $\epsilon_p$  is the relative dielectric constant of plasma produced around the electrode. The standing waves are positively used to control distribution of density of the plasma in a good situation, and the configuration of the electrode is designed considering the plasma parameters around the electrode.~~

*Allowable Subject Matter*

Claims 1, 4, 5, 7, 19 and 20 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Parviz Hassanzadeh whose telephone number is (703)308-2050. The examiner can normally be reached on Tuesday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Mills can be reached on (703)308-1633. The fax phone number for the organization where this application or proceeding is assigned is (703)872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

*P. Hassanzadeh*  
Parviz Hassanzadeh  
Primary Examiner  
Art Unit 1763

November 19, 2003